



***RHINO METALS***<sup>TM</sup>  
BEST IN GUN SAFES AND VAULT DOORS

**2022**  
PRODUCT CATALOG



**MADE IN USA**  
WITH GLOBAL COMPONENTS



★ 10 GA AND 1/4" STEEL CONSTRUCTION ★ HANDCRAFTED FINISH ★ PATENTED IRONWORKS DESIGN ★

# IRONWORKS AIW SERIES

## LONG GUN CAPACITY

MODEL	WEIGHT (approx.)	REGULAR INTERIOR	SWING OUT INTERIOR	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS
AIW6033X	960 lbs	36	up to 30% more than REGULAR INTERIOR	60 x 33 x 27	30.9	14
AIW6042X	1120 lbs	54		60 x 42 x 27	39.4	14
AIW7242X	1300 lbs	54		72 x 42 x 27	47.3	16
AIW7256X	1615 lbs	68		72 x 56 x 27	63.0	16

Available Upgrades: Swing Out Gun Rack (Includes Rifle Rods)  
Executive Shelving Kit  
U.L. Listed Electronic Lock  
U.L. Listed Biometric Lock with Keypad Back-up

## FEATURES

- U.L. Listed Manual Lock with Day-Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection for 130 Minutes at 1400°F
- Ball Bearing Drill Plate and Spring Loaded Relocker Protects the Lock
- 10 Gauge Steel Construction
- 5.9" Thick Formed Door with Full Coverage .25" Solid Steel Plate Front
- Patented Anti-tamper Clutched Handle
- 1.25" Diameter Doorbolts
- Anti-pry Doorbolt Guides
- Internal Electrical / USB Outlet & LED Lighting
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-drilled for Compatible Swing Out Gun Rack
- Unique Antiqued Finish



Model AIW6042X

Upgrade Shown: Swing Out Gun Rack (Includes Rifle Rods)



**130**  
MINUTE  
FIRE RATING

**SECURITY  
& FIRE  
CATEGORY  
7**





Model RS87242EX



# RHINO STRONGBOX SERIES

★ 12 GA STEEL CONSTRUCTION ★ HANDCRAFTED FINISH ★ IRONWORKS STYLING ★

## FEATURES

- U.L. Listed Electronic Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection for 80 Minutes at 1400°F
- Ball Bearing Drill Plate and Spring Loaded Relocker Protects the Lock
- 12 Gauge Steel Construction
- 5.5" Thick Formed Door
- Patented Anti-tamper Clutched Handle
- Anti-pry Doorbolt Guides
- Internal Electrical / USB Outlet
- Deluxe Door Organizer with Handgun Holders & Pockets (excludes RSB3020E)
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-drilled for Compatible Swing Out Gun Rack (excludes RSB3020E)
- Unique Antiqued Finish

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS DIAMETER	DOORBOLTS
		REGULAR INTERIOR	SWING OUT INTERIOR				
RSB3020E	250 lbs	N/A	N/A	30 x 20 x 20	7.64	1"	4
RSB6030EX	640 lbs	35	up to	60 x 30 x 25	26.0	1"	13
RSB6040EX	770 lbs	50	30%	60 x 40 x 25	34.4	1.25"	13
RSB6636EX	875 lbs	44	more than	66 x 36 x 25	34.7	1.25"	13
RSB7242EX	930 lbs	52	REGULAR INTERIOR	72 x 42 x 27	47.3	1.25"	16
RSB7256EX	1220 lbs	76		72 x 56 x 27	63.0	1.25"	18

Available Upgrades: U.L. Listed Manual Lock with Day-Lock  
U.L. Listed Biometric Lock with Keypad Back-up







## FEATURES

- U.L. Listed Manual Lock with Day-Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection for 80 Minutes at 1400°F
- Ball Bearing Drill Plate and Spring Loaded Relocker Protects the Lock
- 12 Gauge Steel Construction
- 5.5" Thick Formed Door
- Patented Anti-tamper Clutched Handle
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-drilled for Compatible Swing Out Gun Rack (excludes CD3022)
- Decorative Finials included with Gloss Finishes



# RHINO CD SERIES

★ CUSTOM OPTIONS ★ 12 GA STEEL CONSTRUCTION ★

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS
		REGULAR INTERIOR	SWING OUT INTERIOR			
CD3022	240 lbs	N/A	N/A	30 x 22 x 20	7.64	4
CD6030X	630 lbs	35	N/A	60 x 30 x 25	26.0	13
CD6040X	780 lbs	54	up to 30% more than REGULAR INTERIOR	60 x 40 x 25	34.7	13
CD6636X	865 lbs	44		66 x 36 x 25	34.1	13
CD7242X	950 lbs	54		72 x 42 x 27	47.3	16
CD7256X	1210 lbs	76		72 x 56 x 27	63.0	18

Available Upgrades: Swing Out Gun Rack (Includes Rifle Rods)  
 Factory Installed LED Lighting  
 Executive Shelving Kit  
 U.L. Listed Electronic Lock  
 U.L. Listed Biometric Lock with Keypad Back-up  
 Two-Tone Gloss (Excludes Black and Pearl White)




Model CD6030XGL in Gloss Blue Finish  
 Upgrade Shown: U.L. Listed Electronic Lock

## AVAILABLE COLORS

### INTERIOR



### TEXTURED EXTERIOR



### GLOSS EXTERIOR



### TRIM







RHINO METALS™

# RHINO RB SERIES

★ SOLID SECURITY ★ 14 GA STEEL CONSTRUCTION ★ BASIC FIRE PROTECTION ★ MOST AFFORDABLE US MADE SAFE ★

## FEATURES

- U.L. Listed Electronic Lock
- CA DOJ Firearm Safety Device
- Fire Protection for 40 Minutes at 1400°F
- Hardened Armor Plate and Spring Loaded Relocker Protects the Lock
- 14 Gauge Steel Construction
- Patented Anti-ramp Clutched Handle
- Anti-pry Doorbolt Guides
- Two Adjustable Right Side Shelves
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Pre-drilled for Electric Dehumidifier
- Pre-drilled to Bolt to Floor
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Tough Powder-coat Finish in Textured Black

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS DIAMETER	DOORBOLTS
RB6028ECS	365 lbs	24	60 x 28 x 20	19.4	1"	8
RB6036ECS	485 lbs	44	60 x 36 x 22	27.5	1"	8

Available Upgrade: U.L. Listed Manual Lock with Day-Lock



**MADE IN USA**  
WITH GLOBAL COMPONENTS



Model RB6028ECS

**40**  
MINUTE  
FIRE RATING

**SECURITY  
& FIRE  
CATEGORY  
3**





# KODIAK STRONGBOX SERIES

★ UNRIVALLED FAST ACCESS (Factory Installed Patented Swing Out Rack) ★  
★ 12 GA STEEL CONSTRUCTION ★ IRONWORKS STYLING ★

## FEATURES

- U.L. Listed Electronic Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection for 60 Minutes at 1400°F
- Factory Installed **Swing Out Gun Rack** (excludes KSB3020E)
- **Triple Hardplate & Spring Loaded Relocker** Protects the Lock
- 12 Gauge Steel Construction
- 5.125" Thick Formed Door
- Patented **Anti-tamper Clutched Handle** (excludes KSB3020E)
- Internal **Electrical / USB Outlet** (excludes KSB3020E)
- **Deluxe Door Organizer** with Handgun Holders & Pockets (excludes KSB3020E)
- External Hinges Allow **180° Door Opening** for Better Access
- **Full Coverage Fire Lining** in Door Frame Unlike Internal Hinge Designs
- **Limited Lifetime Warranty** (Details in Owner's Manual)
- **Free Repair or Replacement** After Burglary or Fire
- Unique **Antiqued Finish**

## 60 MINUTE / 1400° FIRE PROTECTION

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY	SWING OUT RACK CAPACITY	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS DIAMETER	DOORBOLTS
KSB3020E	215 lbs	N/A	N/A	30 x 20 x 20	6.9	1"	6
KSB5928EXSD	485 lbs	20	6	59 x 28 x 20	19.1	1"	8
KSB5940EXSD	720 lbs	38	13	59 x 40 x 23	31.4	1.25"	11
KSB7136EXSD	778 lbs	36	13	71 x 36 x 24	35.5	1.5"	13

Available Upgrades: U.L. Listed Manual Lock with Day-Lock  
U.L. Listed Biometric Lock with Keypad Back-up



Model KSB5940EXSD





Model KB19ECX



RHINO METALS

# KODIAK KB SERIES

★ SOLID SECURITY ★ 14 GA STEEL CONSTRUCTION ★ BASIC FIRE PROTECTION ★

## FEATURES

- U.L. Listed Electronic Lock
- CA DOJ Firearm Safety Device
- Fire Protection at 1400°F
- Hardened Armor Plate and Spring Loaded Relocker Protects the Lock
- Patented Anti-tamper Clutched Handle
- 14 Gauge Steel Construction
- Internal Electrical / USB Outlet (excludes KB5520ECS / KB5529ECS / KB19ECX)
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-drilled for Compatible Swing Out Gun Rack (excludes KB5520ECS / KB5529ECS / KB5933ECX)
- Textured Black Finish

## SECURITY & FIRE CATEGORY 2

### 30 MINUTE / 1400° FIRE PROTECTION

#### LONG GUN CAPACITY

MODEL	WEIGHT (approx.)	REGULAR INTERIOR	SWING OUT INTERIOR	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS DIAMETER	DOORBOLTS
KB5520ECS	258 lbs	18	N/A	55 x 20 x 20	12.7	1"	6
KB5529ECS	340 lbs	30	N/A	55 x 29 x 20	18.5	1"	5
KB19ECX	350 lbs	30	up to 30% more than REGULAR INTERIOR	59 x 28 x 20	19.1	1"	8

## SECURITY & FIRE CATEGORY 3

### 40 MINUTE / 1400° FIRE PROTECTION

#### LONG GUN CAPACITY

MODEL	WEIGHT (approx.)	REGULAR INTERIOR	SWING OUT INTERIOR	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS DIAMETER	DOORBOLTS
KB5933ECX	420 lbs	32	up to 30% more than REGULAR INTERIOR	59 x 33 x 20	22.5	1"	8
KB5940ECX	573 lbs	52		59 x 40 x 23	31.4	1.25"	9





Model KB5950EXS



RHINO METALS

# KODIAK KB SERIES

★ LARGE CAPACITY ★ 12 GA STEEL CONSTRUCTION ★ SOLID FIRE & SECURITY ★

SECURITY  
& FIRE  
CATEGORY  
4

## FEATURES

- U.L. Listed Electronic Lock
- U.L. Certified RSC / CA DOJ Compliant
- Fire Protection at 1400°F
- Triple Hardplate and Spring Loaded Relocker Protects the Lock
- 12 Gauge Steel Construction
- 5.125" Thick Formed Door
- Patented Anti-ramper Clutched Handle
- Internal Electrical / USB Outlet
- Deluxe Door Organizer with Handgun Holders & Pockets
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Lifetime Warranty (Details in Owner's Manual)
- Free Repair or Replacement After Burglary or Fire
- Pre-drilled for Compatible Swing Out Gun Rack
- Textured Black Finish

## 60 MINUTE / 1400° FIRE PROTECTION

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS DIAMETER	DOORBOLTS
		REGULAR INTERIOR	SWING OUT INTERIOR				
KB7144EX	860 lbs	58	up to 30% more than REGULAR INTERIOR	71 x 44 x 26	47.0	1.5"	14

## 75 MINUTE / 1400° FIRE PROTECTION

MODEL	WEIGHT (approx.)	LONG GUN CAPACITY		DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS DIAMETER	DOORBOLTS
		REGULAR INTERIOR	SWING OUT INTERIOR				
KB5950EXS	900 lbs	80	up to 30% more than REGULAR INTERIOR	59 x 50 x 27	46.1	1.25"	13

Available Upgrades: U.L. Listed Manual Lock with Day-lock  
U.L. Listed Biometric Lock with Keypad Back-up





RHINO METALS™

# LONGHORN SERIES

★ BEAUTIFUL IRONWORKS STYLING ★ CONVENIENT ACCESS ★

SECURITY  
& FIRE  
CATEGORY  
2



Model LSB1014

SECURITY  
& FIRE  
CATEGORY  
3



Model LSB1818

SECURITY  
& FIRE  
CATEGORY  
3



Model LSB2418

## FEATURES

- CA DOJ Firearm Safety Device
- 1400°F Fire Protection
- Anti-Punch and Anti-Drill Boltworks (excludes LSB1014)
- 14 Gauge Steel Construction
- Thick Composite Door
- Anti-tamper Clutched Handle (excludes LSB1014)
- 1" Diameter Doorbolts
- Adjustable Shelf (excludes LSB1014)
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- Limited Warranty (Details in Owner's Manual)
- Unique Antiqued Finish

SECURITY  
& FIRE  
CATEGORY  
3



Model LNS2618  
Nightstand / End Table Safe

- Fast access to your firearm
- Power Strip/USB on back for lamps & laptops
- Upper Drawer
- Lower Safe with Shelf and Pistol Pocket

## FEATURES

- U.L. Listed Electronic Lock
- CA DOJ Firearm Safety Device
- Fire Protection for 40 Minutes at 1400°F
- 1.05 cu ft. Interior Capacity
- Internal Safe Dimension 15.4" H x 15.5" W x 7.5" D
- 14 Gauge Steel Construction
- Thick Composite Door
- Anti-Punch and Anti-Drill Boltworks
- 1" Diameter Doorbolts (4 Total)
- Adjustable Shelf
- Handgun Holder on Doorback
- Fully Upholstered Interior
- External Hinges Allow 180° Door Opening for Better Access
- Full Coverage Fire Lining in Door Frame Unlike Internal Hinge Designs
- 150 lbs
- Overall Dimensions 26"H x 20"W x 18"D
- Drawer Dimensions 5"H x 13"W x 13"D
- External Electrical / USB Outlet (on the back)
- Easy Glide Heavy Duty Drawer with Full Extension Ball Bearing Glides
- Fully Assembled
- Limited Warranty (Details in Owner's Manual)



MODEL	WEIGHT (approx.)	FIRE RATING	LOCK STYLE	DIMENSIONS (H" x W" x D")	CUBIC FEET (approx.)	DOORBOLTS
LSB1014	30 lbs	30 min	High-Security Keyed Lock	10 x 14 x 10	0.81	3
LSB1818	90 lbs	60 min	U.L. Listed Electronic Lock	18 x 18 x 14	2.63	4
LSB2418	130 lbs	60 min	U.L. Listed Electronic Lock	24 x 18 x 16	4.0	4